BUY ONLINE

FREE CATALOG

SDILS



Compliant SDS for GHS: HazCom 2012 / United States; WHMIS 2015 / Canada

SAFETY DATA SHEET

Synthetic Gear Lube SAE 80W-140

Section 1. Identification Date Version			 05/15/2016 6.X
GHS product identifier	: Synthetic Gear Lube SAE 80W-140		
Code	: FGO		
Product type	: Liquid.		
Identified uses	: Lubrication oil. Not to be misted.		
Manufacturer	: AMSOIL INC. One AMSOIL Center Superior, WI 54880 Tel: +1 715-392-7101		
Initial Supplier (Canada)	: AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 Tel: +1 416-367-6547		
Emergency telephone number (with hours of operation)	: CHEMTREC: Within USA and Canada: 1-800-424-9300; Outside USA and Canada: +1 703-741-5970 (collect calls a (24/7)	accepted)	

Section 2. Hazards identification

OSHA/HCS status Classification of the substance or mixture	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1 AQUATIC HAZARD (ACUTE) - Category 3 AQUATIC HAZARD (LONG-TERM) - Category 3
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: Causes eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements	

SAVE UP TO 25%

Synthetic Gear Lube SAE 80W-140

Prevention	: Wear protective gloves. Avoid release to the environment. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	: IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Not applicable.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise cla	assified (HNOC)
Physical hazards not otherwise classified (PHNOC)	: None known.
Health hazards not otherwise classified (HHNOC)	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

CAS number/other identifiers

CAS number	: Not applicable.
Product code	: FGO

Ingredient name	%	CAS number
1-Propene, 2-methyl-, homopolymer	≥25 - ≤50	9003-27-4
Long-chain alkyl amine	≥0.6 - <1	68955-53-3
Long-chain alkenyl amine	≥0.3 - ≤0.7	112-90-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. If irritation persists, get medical attention.

SAVE UP TO 25%

Synthetic Gear Lube SAE 80W-140

Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Get medical attention if symptoms occur.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potent	ial acute health effect	ts	
Eye c	ontact	:	Causes eye irritation.
Inhala	ation	:	No known significant effects or critical hazards.
Skin	contact	:	May cause an allergic skin reaction.
Inges	tion	:	No known significant effects or critical hazards.
<u>Over-e</u>	xposure signs/sympt	on	<u>ns</u>
Eye c	ontact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhala	ation	:	No known significant effects or critical hazards.
Skin	contact	-	Adverse symptoms may include the following: irritation redness
Inges	tion	:	No known significant effects or critical hazards.
Indication	on of immediate medi	ca	l attention and special treatment needed, if necessary
Notes	to physician	1	Treat symptomatically. Contact poison treatment specialist ir

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Date of issue : 05/15/2016

SAVE UP TO 25%

Section 5. Fire-fighting measures

Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: No special protection is required.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	tiv	e equipment and emergency procedures
For non-emergency personnel	:	Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for co	nt	ainment and cleaning up
Spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Date of issue : 05/15/2016

BUY ONLINE

FREE CATALOG

SAVE UP TO 25%

Section 7. Handling and storage

Precautions for safe handling	
Protective measures :	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Avoid contact with used product. Do not reuse container.
Advice on general : occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Under conditions which may generate mists, the following exposure limits are recommended: ACGIH TLV TWA: 5 mg/m³; STEL: 10 mg/m³.

United States

None known.

<u>Canada</u>

Occupational exposure limits None.

Appropriate engineering controls
 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
 Environmental exposure controls
 Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measures

SAVE UP TO 25%

Synthetic Gear Lube SAE 80W-140

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Color	: Yellow.
Odor	: Mild sulfur.
Odor threshold	: Not available.
рН	: Not available.
Melting point	: -40°C (-40°F)
Boiling point	: Not available.
Flash point	: Open cup: 218°C (424.4°F) [Cleveland.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.89
Solubility	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.

6/12

Date of issue : 05/15/2016

SAVE UP TO 25%

Decomposition temperature	: Not available.
Viscosity	: Kinematic: 0.264 cm ² /s (26.4 cSt) (100°C) Kinematic: 2.576 cm ² /s (257.6 cSt) (40°C)
Volatility	: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects Acute toxicity There is no data available. Irritation/Corrosion There is no data available. Sensitization There is no data available. Carcinogenicity There is no data available. Specific target organ toxicity (single exposure) Name Category Route of exposure

Nomo	Cotogony	Doute of	Target ergene
Specific target organ toxicity (repeated exposure)			
Long-chain alkenyl amine	Category 3	Not applicable.	Respiratory tract irritation
		exposure	

Name		Route of exposure	Target organs
Long-chain alkyl amine	Category 2	Not determined	Not determined

Aspiration hazard

There is no data available.

Target organs

SAVE UP TO 25%

Information on the likely routes of exposure	rmal contact. Eye con	tact. Inhalation. Ingestion.
Potential acute health effects		
Eye contact	uses eye irritation.	
Inhalation	known significant effe	ects or critical hazards.
Skin contact	ly cause an allergic sk	in reaction.
Ingestion	known significant effe	ects or critical hazards.
Symptoms related to the phy	chemical and toxico	ogical characteristics
Eye contact	verse symptoms may in or irritation tering Iness	include the following:
Inhalation	known significant effe	ects or critical hazards.
Skin contact	verse symptoms may tation Iness	include the following:
Ingestion	known significant effe	ects or critical hazards.
Delayed and immediate effect	also chronic effects	from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	known significant effe	ects or critical hazards.
Potential delayed effects	known significant effe	ects or critical hazards.
Long term exposure		
Potential immediate effects	known significant effe	ects or critical hazards.
Potential delayed effects	known significant effe	ects or critical hazards.
Potential chronic health eff		
General	ce sensitized, a sever y low levels.	e allergic reaction may occur when subsequently exposed to
Carcinogenicity	known significant effe	ects or critical hazards.
Mutagenicity	known significant effe	ects or critical hazards.
Teratogenicity	known significant effe	ects or critical hazards.
Developmental effects	known significant effe	ects or critical hazards.
Fertility effects	known significant effe	ects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

Date of issue



Section 12. Ecological information

Toxicity			
Product/ingredient name	Result	Species	Exposure
1-Propene, 2-methyl-, homopolymer	Acute LC50 >5600000 μg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

There is no data available.

Bioaccumulative potential

There is no data available.	
<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: There is no data available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT	TDG	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-

Synthetic Gear Lube SAE 80W-140

Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

AERG : Not applicable

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

Section 15. Regulatory information

U.S. Federal regulations	: United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: Phenol; Naphthalene; Benzene; Ethylbenzene Clean Water Act (CWA) 311: Propylene oxide; Phosphoric acid; Phenol; Naphthalene; Benzene; Ethylbenzene
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
SARA 302/304	

Composition/information on ingredients

			SARA 302 TPQ SARA 304		04 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Ethylene oxide	0 - 0.1	Yes.	1000	-	10	-
Propylene oxide	0 - 0.1	Yes.	10000	1444.3	100	14.4
Phenol	0 - 0.1	Yes.	500 / 10000	-	1000	-

SARA 304 RQ

: 8928571.4 lbs / 4053571.4 kg [1203191.3 gal / 4554574.6 L]

SAVE UP TO 25%

Synthetic Gear Lube SAE 80W-140

SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
1-Propene, 2-methyl-, homopolymer	≥25 - ≤50	No.	No.	No.	Yes.	No.
Long-chain alkyl amine	≥0.6 - <1	No.	No.	No.	Yes.	Yes.
Long-chain alkenyl amine	≥0.3 - ≤0.7	No.	No.	No.	Yes.	No.

SARA 313

No products were found.

State regulations

Massachusetts

: None of the components are listed.

New York

None of the components are listed.None of the components are listed.

New Jersey Pennsylvania

: The following components are listed: Distillates, hydrotreated heavy paraffinic

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. **WARNING:** This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Ethylene oxide	Yes.	Yes.	Yes.	Yes.
1,4-Dioxane	Yes.	No.	Yes.	No.
2-Propenoic acid, ethyl ester	Yes.	Yes.	No.	No.
Propylene oxide	Yes.	No.	No.	No.
Ethylbenzene	Yes.	No.	41 μg/day (ingestion) 54 μg/day (inhalation)	No.
Benzene	Yes.	Yes.	6.4 μg/day (ingestion) 13 μg/day (inhalation)	24 μg/day (ingestion) 49 μg/day (inhalation)
Naphthalene	Yes.	No.	Yes.	No.
Ethyl acrylate	Yes.	No.	No.	No.

Canada

Canadian lists

Canadian NPRI

- : None of the components are listed.
- **CEPA Toxic substances**
- Canada inventory :
- : None of the components are listed.
- - : All components are listed or exempted.

Section 16. Other information

History

Date of issue mm/dd/yyyy	: 05/15/2016
Date of previous issue	: 03/15/2014
Version	: 6.X
Prepared by	: AMSOIL INC.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its

subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

12/12

: 05/15/2016

Date of issue