

114



Compliant SDS for GHS: HazCom 2012 / United States; WHMIS 2015 / Canada

### SAFETY DATA SHEET

### AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

			: 08/15/2015 : 6
GHS product identifier	: AMSOIL Synthetic Z-Rod <sup>®</sup> 20W-50 Synthetic Motor Oi 30 Synthetic Motor Oil	I, AMSOIL Synth	etic Z-Rod <sup>®</sup> 10W-
Code	: ZRT, ZRF		
Product type	: Liquid.		
Identified uses	: Engine oil. Not to be misted.		
Manufacturer	: AMSOIL INC. One AMSOIL Center Superior, WI 54880 Tel: +1 715-392-7101		
Initial Supplier (Canada)	: AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 Tel: +1 416-367-6547		
Emergency telephone number (with hours of operation)	: CHEMTREC: Within USA and Canada: 1-800-424-930 Outside USA and Canada: +1 703-741-5970 (collect c (24/7)	•	

### Section 2. Hazards identification

OSHA/HCS status Classification of the substance or mixture	<ul> <li>This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).</li> <li>SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A RESPIRATORY SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1</li> </ul>
GHS label elements Hazard pictograms	
Signal word Hazard statements	<ul> <li>Danger</li> <li>H319 - Causes serious eye irritation.</li> <li>H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>H317 - May cause an allergic skin reaction.</li> </ul>
Precautionary statements	

FREE CATALOG

SAVE UP TO 25%

## AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

Prevention	<ul> <li>P280 - Wear protective gloves. Wear eye or face protection.</li> <li>P284 - Wear respiratory protection.</li> <li>P261 - Avoid breathing vapor.</li> <li>P264 - Wash hands thoroughly after handling.</li> </ul>
Response	<ul> <li>P272 (OSHA) - Contaminated work clothing must not be allowed out of the workplace.</li> <li>P304 + P341 (OSHA) - IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.</li> <li>P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or physician.</li> <li>P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash</li> </ul>
	contaminated clothing before reuse. P333 + P313 - If skin irritation or rash occurs: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
Storage	: Not applicable.
Disposal	<ul> <li>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
Hazards not otherwise class	sified (HNOC)
Physical hazards not otherwise classified (PHNOC)	: None known.
Health hazards not otherwise classified (HHNOC)	: None known.

## Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

CAS number/other identifiers		
CAS number	:	Not applicable.
Product code	:	ZRT, ZRF
Les and the state of the		

Ingredient name	%	CAS number
Zinc Alkyldithiophosphate	1 - 5	68649-42-3
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	1 - 5	68411-46-1
Benzenesulfonic acid, C14-24-branched and linear alkyl derivs., calcium salts, overbased	0.1 - 1	115733-10-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

ZRT, ZRF

FREE CATALOG

SAVE UP TO 25%

AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

### Section 4. First aid measures

Description of necessary fir	st aid measures
Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. In the event of any complaints or symptoms, avoid further exposure.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Get medical attention if symptoms occur.
Most important symptoms/e	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.

#### Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: wheezing and breathing difficulties asthma
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No known significant effects or critical hazards.

ZRT, ZRF

SAVE UP TO 25%

AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

Indication of immediate mee	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

<u>Extinguishing media</u> Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	: No special protection is required.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	

Methods and materials for containment and cleaning up

SAVE UP TO 25%

AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

ZRT, ZRF

Spill
 Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Avoid contact with used product. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Under conditions which may generate mists, the following exposure limits are recommended: ACGIH TLV TWA: 5 mg/m<sup>3</sup>; STEL: 10 mg/m<sup>3</sup>.

#### **United States**

None known.

#### Canada

None.

## Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

FREE CATALOG

SAVE UP TO 25%

AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

**Environmental exposure** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. controls Individual protection measures **Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. **Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. Skin protection Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. : Personal protective equipment for the body should be selected based on the task being **Body protection** performed and the risks involved and should be approved by a specialist before handling this product. : Appropriate footwear and any additional skin protection measures should be selected Other skin protection based on the task being performed and the risks involved and should be approved by a specialist before handling this product. : Use a properly fitted, air-purifying or supplied air respirator complying with an approved **Respiratory protection** standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	: Liquid.	
Color	: Amber.	
Odor	: Mild hydrocarbon.	
Odor threshold	: Not available.	
рН	: Not available.	
Melting point	: -46 to -40°C (-50.8 to -40°F)	
Boiling point	: Not available.	
Flash point	: Open cup: 236 to 254°C (456.8 to 489.2°F) [Cleveland.]	
Evaporation rate	: Not available.	
Flammability (solid, gas)	: Not available.	
Lower and upper explosive (flammable) limits	: Not available.	
Vapor pressure	: Not available.	
Vapor density	Not available.	
Relative density	: 0.8644 to 0.8676	

SAVE UP TO 25%

# AMSOIL Synthetic Z-Rod $^{\circ}$ 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod $^{\circ}$ 10W-30 Synthetic Motor Oil

Solubility	:	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	1	Not available.
Viscosity	1	Kinematic: 0.118 to 0.193 cm <sup>2</sup> /s (11.8 to 19.3 cSt) (100°C) Kinematic: 0.749 to 1.403 cm <sup>2</sup> /s (74.9 to 140.3 cSt) (40°C)
Volatility	:	Not available.
VOC (w/w)	:	63.2 % (w/w)

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	LD50 Oral	Rat	>5000 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Zinc Alkyldithiophosphate	Eyes - Irritant	Rabbit	-	-	-

#### Sensitization

There is no data available.

#### **Carcinogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

FREE CATALOG



# AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

ZRT, ZRF

There is no data available.

**Aspiration hazard** 

There is no data available.

Information on the likely routes of exposure	:	Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effects		
Eve contact		Causes serious eve irritation

Eye contact	· Causes serious eye initation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	<ul> <li>Adverse symptoms may include the following: wheezing and breathing difficulties asthma</li> </ul>
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No known significant effects or critical hazards.

## Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
<u>Long term exposure</u>	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health eff	ects
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
General Carcinogenicity	
	very low levels.
Carcinogenicity	very low levels.  No known significant effects or critical hazards.
Carcinogenicity Mutagenicity	<ul><li>very low levels.</li><li>No known significant effects or critical hazards.</li><li>No known significant effects or critical hazards.</li></ul>
Carcinogenicity Mutagenicity Teratogenicity	<ul> <li>very low levels.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>

#### Numerical measures of toxicity

SAVE UP TO 25%

AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

ZRT, ZRF

#### Acute toxicity estimates

There is no data available.

### Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
	Acute EC50 1 to 5 mg/L Acute EC50 1 to 1.5 mg/L Chronic LC50 1 to 5 mg/L	Crustaceans	96 hours 48 hours 96 hours

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	5.1	1730	high
Mobility in soil Soil/water partition coefficient (Koc)	: There is no data available.		

### Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

### Section 14. Transport information

	DOT	TDG	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-		-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

**AERG** : Not applicable

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

### Section 15. Regulatory information

U.S. Federal regulations	: United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: Zinc Alkyldithiophosphate
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed

### FREE CATALOG



#### AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

#### ZRT, ZRF

#### SARA 302/304

#### **Composition/information on ingredients**

No products were found.

#### **SARA 304 RQ** : Not applicable.

#### SARA 311/312 Classification

: Immediate (acute) health hazard

**Composition/information on ingredients** 

Name	%		Sudden release of pressure		Immediate (acute) health hazard	Delayed (chronic) health hazard
Zinc Alkyldithiophosphate Benzenesulfonic acid, C14-24-branched and linear alkyl derivs., calcium salts, overbased	1 - 5 0.1 - 1	No. No.	No. No.	No. No.	Yes. Yes.	No. No.

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	Zinc Alkyldithiophosphate	68649-42-3	1 - 5
Supplier notification	Zinc Alkyldithiophosphate	68649-42-3	1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	<ul> <li>The following components are listed: Distillates, hydrotreated heavy paraffinic; Zinc Alkyldithiophosphate; Distillates, solvent-dewaxed heavy paraffinic</li> </ul>
Pennsylvania California Prop. 65 No products were found.	: The following components are listed: Zinc Alkyldithiophosphate
Canada	

<u>Canadian lists</u>	
Canadian NPRI	: The following components are listed: Zinc Alkyldithiophosphate
CEPA Toxic substances	: None of the components are listed.

### Section 16. Other information

<u>History</u>	
Date of issue mm/dd/yyyy	: 08/15/2015
Date of previous issue	: 12/30/2014
Version	: 6
Prepared by	: AMSOIL INC.



#### AMSOIL Synthetic Z-Rod<sup>®</sup> 20W-50 Synthetic Motor Oil, AMSOIL Synthetic Z-Rod<sup>®</sup> 10W-30 Synthetic Motor Oil

: 08/15/2015

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.